

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	14802	705/1,5,6,7,8,9,11,22,23,28,29,406,410,401.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2007/06/10 18:48
L2	8	storing with (property near3 code) with (first or second or third)	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2007/06/10 18:52
L4	1	1 and 2	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2007/06/10 18:49
L5	1	(describ\$3 or defin\$3) with (property near3 code) with (intended or proposed or use or goal or purpose)	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2007/06/10 18:54
L6	1	(determin\$3 near6 third near6 address) with (first or second ) with code with (compatible or match\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2007/06/10 18:58
L7	4	(determin\$3 near6 third near6 address) same (first or second ) same code same (compatible or match\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2007/06/10 18:59
L8	372	parcel with delivery with (system or network)	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2007/06/10 19:17
L9	1308	(network with addressing or translation) and (transportation with system)	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2007/06/10 19:17
L10	0	1 and 8 and 9	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2007/06/10 19:01

## EAST Search History

L11	1	8 and 9	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2007/06/10 19:10
L12	3301	709/220,222.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2007/06/10 19:10
L13	18084	1 or 12	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2007/06/10 19:18
L14	50	9 and 13	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2007/06/10 19:11
L15	1	(determin\$3 with point with delivery) and (matching with code with segment\$1)	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2007/06/10 19:12
L16	56	(determin\$3 with point with delivery) and (matching with code )	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2007/06/10 19:18
L17	0	14 and 16	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2007/06/10 19:12
L18	0	12 and 16	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2007/06/10 19:12
L19	7379	((destination with point) and source) and code	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2007/06/10 19:13
L20	597	((destination with point) and source) and (code with match\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2007/06/10 19:13

## EAST Search History

L21	27	19 and 20 and 13	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2007/06/10 19:13
L22	1	8 and 21	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2007/06/10 19:13
L23	26	21 not 22	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2007/06/10 19:14
L24	0	23 and 9 and 23	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2007/06/10 19:14
L25	61	shipment with location with origin	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2007/06/10 19:16
L26	4	25 and 8	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2007/06/10 19:16
L27	57	25 not 26	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2007/06/10 19:16
L28	0	9 and 27	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2007/06/10 19:16
L29	0	shipment with location with origin	FPRS; EPO; JPO; IBM_TDB	OR	OFF	2007/06/10 19:17
L30	62	parcel with delivery with (system or network)	EPO; JPO; IBM_TDB	OR	OFF	2007/06/10 19:17
L31	4	(network with addressing or translation) and (transportation with system)	EPO; JPO; IBM_TDB	OR	OFF	2007/06/10 19:18

## EAST Search History

L32	62	30 not 31	EPO; JPO; IBM_TDB	OR	OFF	2007/06/10 19:18
L33	448	1 or 12	EPO; JPO; IBM_TDB	OR	OFF	2007/06/10 19:18
L34	0	32 and 33	EPO; JPO; IBM_TDB	OR	OFF	2007/06/10 19:18
L35	0	(determin\$3 with point with delivery) and (matching with code )	EPO; JPO; IBM_TDB	OR	OFF	2007/06/10 19:18

**? logon**

\*\*\* It is now 2007/06/10 19:20:01 \*\*\*  
 (Dialog time 2007/06/10 18:20:01)

**Preferences:**

1. Default save option: [WORD]
2. Graphic Images.  
     Maximum width in pixels : [624]  
     Maximum height in pixels: [624]
3. Hold output position (don't scroll to the output buffer end): [Yes]
4. Command separators (add HR after every command): [No]
5. Type separators (add HR after every record): [Yes]
6. Linking Pane: [Right]
7. Status location.  
     Below Type ahead buffer : [Yes]  
     In Browser status line: [Yes]
8. Show Estimated Cost Summary: [Yes]
9. Highlight Search Terms: [Yes]
10. Display Detailed Results by Search Term: [Yes]
11. Show Results by File (multifile search): [Yes]
12. Display Postings: [No]
14. Expand Items: 50
15. KWIC Window: 100
16. Output Cost Notification: [No]
17. Show Preferences at Login: [Yes]

HILIGHT set on as ' ' ' '

>>>100 is not in the range between 1 and 50, original value 30 is used.  
 IGOR705 is set ON as an alias for  
 2,9,15,16,20,35,65,77,99,148,160,233,256,275,347,348,349,474,475,476,583,6-  
 10,613,621,624,634,636,810,813  
 IGORMEDIC is set ON as an alias for  
 5,34,42,43,73,74,129,130,149,155,442,444,455  
 IGORINSUR is set ON as an alias for 169,625,637  
 IGORBANK is set ON as an alias for 139,267,268,625,626  
 IGORTRANS is set ON as an alias for 6,63,80,108,637  
 IGORSHOPCOUPON is set ON as an alias for 47,570,635,PAPERSMJ,PAPERSEU  
 IGORINVEN is set ON as an alias for 6,7,8,14,34,94,434  
 IGORFUNDTRANS is set ON as an alias for 608

**? B IGOR705**

>>> 77 does not exist  
 >>> 233 does not exist  
 >>>2 of the specified files are not available  
     10jun07 18:20:13 User268082 Session C14.1  
         \$0.00 0.257 DialUnits File415  
     \$0.00 Estimated cost File415  
     \$0.05 INTERNET  
     \$0.05 Estimated cost this search  
     \$0.05 Estimated total session cost 0.257 DialUnits

SYSTEM:OS - DIALOG OneSearch

File 2:INSPEC 1898-2007/Jun W1  
     (c) 2007 Institution of Electrical Engineers  
 File 9:Business & Industry(R) Jul/1994-2007/Jun 06  
     (c) 2007 The Gale Group

File 15:ABI/Inform(R) 1971-2007/Jun 09  
(c) 2007 ProQuest Info&Learning

File 16:Gale Group PROMT(R) 1990-2007/Jun 07  
(c) 2007 The Gale Group

File 20:Dialog Global Reporter 1997-2007/Jun 10  
(c) 2007 Dialog

File 35:Dissertation Abs Online 1861-2007/May  
(c) 2007 ProQuest Info&Learning

File 65:Inside Conferences 1993-2007/Jun 08  
(c) 2007 BLDSC all rts. reserv.

File 99:Wilson Appl. Sci & Tech Abs 1983-2007/May  
(c) 2007 The HW Wilson Co.

File 148:Gale Group Trade & Industry DB 1976-2007/Jun 07  
(c)2007 The Gale Group

File 160:Gale Group PROMT(R) 1972-1989  
(c) 1999 The Gale Group

File 256:TecInfoSource 82-2007/Oct  
(c) 2007 Info.Sources Inc

File 275:Gale Group Computer DB(TM) 1983-2007/Jun 07  
(c) 2007 The Gale Group

File 347:JAPIO Dec 1976-2006/Dec(Updated 070403)  
(c) 2007 JPO & JAPIO

File 348:EUROPEAN PATENTS 1978-2007/ 200723  
(c) 2007 European Patent Office

\*File 348: For important information about IPCR/8 and forthcoming changes to the IC= index, see HELP NEWSIPCR.

File 349:PCT FULLTEXT 1979-2007/UB=20070607UT=20070531  
(c) 2007 WIPO/Thomson

\*File 349: For important information about IPCR/8 and forthcoming changes to the IC= index, see HELP NEWSIPCR.

File 474:New York Times Abs 1969-2007/Jun 10  
(c) 2007 The New York Times

File 475:Wall Street Journal Abs 1973-2007/Jun 09  
(c) 2007 The New York Times

File 476:Financial Times Fulltext 1982-2007/Jun 10  
(c) 2007 Financial Times Ltd

File 583:Gale Group Globalbase(TM) 1986-2002/Dec 13  
(c) 2002 The Gale Group

\*File 583: This file is no longer updating as of 12-13-2002.

File 610:Business Wire 1999-2007/Jun 10  
(c) 2007 Business Wire.

\*File 610: File 610 now contains data from 3/99 forward.

Archive data (1986-2/99) is available in File 810.

File 613:PR Newswire 1999-2007/Jun 10  
(c) 2007 PR Newswire Association Inc

\*File 613: File 613 now contains data from 5/99 forward.

Archive data (1987-4/99) is available in File 813.

File 621:Gale Group New Prod.Annou.(R) 1985-2007/Jun 07  
(c) 2007 The Gale Group

File 624:McGraw-Hill Publications 1985-2007/Jun 06  
(c) 2007 McGraw-Hill Co. Inc

\*File 624: Homeland Security & Defense and 9 Platt energy journals added  
Please see HELP NEWS624 for more

File 634:San Jose Mercury Jun 1985-2007/Jun 08  
(c) 2007 San Jose Mercury News

File 636:Gale Group Newsletter DB(TM) 1987-2007/Jun 01  
(c) 2007 The Gale Group

File 810:Business Wire 1986-1999/Feb 28  
(c) 1999 Business Wire

File 813:PR Newswire 1987-1999/Apr 30

(c) 1999 PR Newswire Association Inc

Set	Items	Description
---	-----	-----

**? s (determin??? (w) point (w) delivery) and (matching (w) code )**

Processing  
Processing  
Processing  
Processing

Processing

Processed 10 of 27 files ...

Processing

Processed 20 of 27 files ...

Completed processing all files

7375534 DETERMIN???

9761603 POINT

4306542 DELIVERY

1 DETERMIN??? (W) POINT (W) DELIVERY

830514 MATCHING

3344962 CODE

373 MATCHING (W) CODE

S1 0 (DETERMIN??? (W) POINT (W) DELIVERY) AND (MATCHING (W)  
CODE )

**? s parcel? (w) delivery (w) (system or network)**

Processing  
Processing  
Processing  
Processing  
Processing  
Processing

Processing

Processed 10 of 27 files ...

Processing

Processed 20 of 27 files ...

Completed processing all files

324402 PARCEL?

4306542 DELIVERY

20178910 SYSTEM

11281568 NETWORK

S2 176 PARCEL? (W) DELIVERY (W) (SYSTEM OR NETWORK)

**? s shipment (w) location (w) origin**

479122 SHIPMENT

3323161 LOCATION

1092498 ORIGIN

S3 1 SHIPMENT (W) LOCATION (W) ORIGIN

**? s (determin??? (w) point (w) delivery) and (matching (w) code )**

Processing  
 Processing  
 Processing  
 Processing

Processing  
 Processed 10 of 27 files ...  
 Processing

Completed processing all files

	7375534	DETERMIN???
	9761603	POINT
	4306542	DELIVERY
	1	DETERMIN??? (W) POINT (W) DELIVERY
	830514	MATCHING
	3344962	CODE
	373	MATCHING (W) CODE
S4	0	(DETERMIN??? (W) POINT (W) DELIVERY) AND (MATCHING (W) CODE )

**? s storing (w) (property (3n) code) (w) (first or second or third)**

Processing  
 Processing

Processed 20 of 27 files ...  
 Completed processing all files

	755208	STORING
	6724942	PROPERTY
	3344962	CODE
	33617220	FIRST
	15985902	SECOND
	11033465	THIRD
S5	0	STORING (W) (PROPERTY (3N) CODE) (W) (FIRST OR SECOND OR THIRD)

**? s (describ??? or defin???) (w) (property (3n) code) (w) (intended or proposed or use or goal or purpose)**

Processing  
 Processing  
 Processing  
 Processing  
 Processing  
 Processing

Processing  
 Processed 10 of 27 files ...  
 Processing  
 Processed 20 of 27 files ...



Processing

Completed processing all files

```

      8499125  DESCRIB???
      5087148  DEFIN???
      6724942  PROPERTY
      3344962  CODE
      3021114  INTENDED
      5243892  PROPOSED
      21008040  USE
      4000598  GOAL
      7250685  PURPOSE
S6      0  (DESCRIB??? OR DEFIN???) (W) (PROPERTY (3N) CODE) (W)
          (INTENDED OR PROPOSED OR USE OR GOAL OR PURPOSE)

```

? s s3 and (match??? (w) code)

Processing

```

      1  S3
      4586983  MATCH???
      3344962  CODE
      703  MATCH??? (W) CODE
S7      0  S3 AND (MATCH??? (W) CODE)

```

? s s2 and (match??? (w) code)

Processing

```

      176  S2
      4586983  MATCH???
      3344962  CODE
      703  MATCH??? (W) CODE
S8      1  S2 AND (MATCH??? (W) CODE)

```

? t s8/3,k/1

DIALOG(R)File 349: PCT FULLTEXT  
(c) 2007 WIPO/Thomson. All rights reserved.  
8/3K/1  
00515565

## METHOD OF NETWORK ADDRESSING AND TRANSLATION PROCEDE D'ADRESSAGE ET DE TRADUCTION RESEAU

**Patent Applicant/Patent Assignee:**

- LEVINE Richard C;

;;

--	--	--	--	--

	Country	Number	Kind	Date
Patent	WO	9946917	A1	19990916
Application	WO	99US5642		19990311
Priorities	US	9839004		19980313

**Designated States:** (All protection types applied unless otherwise stated - for applications 2004+)

### Language

Publication Language: English

Filing Language:

Fulltext word count: 16841

### Detailed Description:

...SA for each physical point in the network.

### Prior Art Example 1, A Mail or **Parcel Delivery System**

5 A mail or parcel system is a simple network. Each resident has a resident...a match if all of 5 the F? codes in said smaller set have a **matching code** in said larger set. This is the conclusion of the default matching algorithm. However, in...

?